OBserver Tracer Compatible Over-Barrel Mock Suppressor

BLK 66101010 TAN 66101020

MODIFY M

OBserver Tracer Compatible



MODIFY M

Test results of Steyr Scout with OBserver Mock Suppressor

- · Without suppressor: Avg. 112.9 dB to be high.
- · Short tube suppressor with 6 foam sections: Avg. 108.3 dB to be quieter.
- · Long tube suppressor with 14 foam sections: Avg. 89.3 dB to be even quieter.

Design Features

- · Easy interchangeability of over-barrel suppressor
- CNC machined aluminum alloy
- Durable and lightweight construction
- · Covers and protects outer barrel or extended inner barrel to the suppressor
- Available with a built-in tracer (<28mm dia.)
- · 14 mm inside thread of CCW and 14 mm external threads of CCW of the adaptor
- Black/Tan anodized coating and sandblasted
- The foam rings are sound-studio quality
- For airsoft only (won't work on real firearms)









Content











The OBserver Mock Suppressor is a bi-sectional suppressor or silencer that can be installed in various ways. The front and rear sections can rotate independently and be interchanged. The rear section can cover the outer barrel, with the front section integrated with foam to suppress sound. The inner barrel can be extended through the suppressor to be masked for improved appearance. Or the rear section can be integrated with foam and the front section mounted with tracer.

front cap, short tube, adaptor, long tube, rear end cap (x2 size).

	교식 보는 사람들은 경우 사이트 가게 되었다면 보고 무지어 되었다.	
Overall length	231 mm	
Weight	194g	
Over-Barrel length	160 mm (max.)	
Outer dia.	38 mm	
Inner dia.	33 mm	
Thread"	14 CCW	
Foam sections		
Long barrel	14 pcs	
Short barrel	6 pcs	
Max. barrel covera	ge 160 mm	
Rear end cap openi	ø23mm and ø20mm	

Sniper rifle	Compatible
M O D 2 4	V
MOD24 SF	V
Steyr Scout	V
Steyr Elite	V

AEG	Compatible
XTC G1	V
хтс сов	V
XTC PDW	V

Adaptor with tube assembly positive thread M36imes1 14 mm inside and external threads of CCW